

NAME

qpsiln – Quadruple-precision $\psi(x) - \ln(x)$

SYNOPSIS

Fortran (77, 90, 95, HPF):

```
f77 [ flags ] file(s) ... -L/usr/local/lib -lgjl
REAL*16 FUNCTION qpsiln(x)
REAL*16 x
```

C (K&R, 89, 99), C++ (98):

```
cc [ flags ] -I/usr/local/include file(s) ... -L/usr/local/lib -lgjl
```

Use

```
#include <gampsi.h>
```

to get this prototype:

```
fortran_quadruple_precision qpsiln(const fortran_quadruple_precision * x_);
```

NB: The definition of C/C++ data types **fortran_**xxx, and the mapping of Fortran external names to C/C++ external names, is handled by the C/C++ header file. That way, the same function or subroutine name can be used in C, C++, and Fortran code, independent of compiler conventions for mangling of external names in these programming languages.

Last code modification: 01-Aug-2000

DESCRIPTION

Return the value of $\psi(x) - \ln(x)$, computed so as to avoid unnecessary subtraction loss.

SEE ALSO

dgamma(3), **dpsi(3)**, **dpsiln(3)**, **gamma(3)**, **psi(3)**, **psiln(3)**, **qgamma(3)**, **qpsi(3)**.

AUTHORS

The algorithms and code are described in detail in the paper

Algorithm xxx: Quadruple-Precision Gamma(x) and psi(x) Functions for Real Arguments

in ACM Transactions on Mathematical Software, Volume ??, Number ??, Pages ???--??? and ???--???, 2001, by

Nelson H. F. Beebe
Center for Scientific Computing
University of Utah
Department of Mathematics, 110 LCB
155 S 1400 E RM 233
Salt Lake City, UT 84112-0090
Tel: +1 801 581 5254
FAX: +1 801 581 4148
Email: beebe@math.utah.edu, beebe@acm.org, beebe@computer.org
WWW URL: <http://www.math.utah.edu/~beebe>

and

James S. Ball
University of Utah
Department of Physics
Salt Lake City, UT 84112-0830
USA
Tel: +1 801 581 8397
FAX: +1 801 581 6256
Email: ball@physics.utah.edu
WWW URL: <http://www.physics.utah.edu/people/faculty/ball.html>